
NOKIA CCS Technical Documentation

Table of Contents


	Page No
Schematics (Table of Contents)	9-1
Top level schematic	9-2
Top sheet (2)	9-3
DCT4 Common Baseband Schematic (Top level 2)	9-3
5 pin Production Test Pattern	9-3
RF top sheet schematic	9-4
Mjoelner	9-5
Power amplifier	9-6
BB RF interface components	9-7
DCT4 common BB schematic (top level)	9-8
RH-4 System connector	9-9
GSM RF BB interface	9-10
RH-4 Audio	9-11
MultiGND symbol bypass	9-12
GENIO and GPIO connection block	9-12
Rohm IR module 1.8V	9-13
Testpoints based Ostrich interface	9-13
Test and emulator interface	9-14
SIM reader	9-14
Testpoints for JTAG emulator	9-15
DC/DC Convertor	9-15
RH-4 User interface	9-16
Discrete power management	9-17
Light filtering	9-18
Old power discrete users	9-18
UPP 8M implementation	9-19
Combo memory 128 + 8Mbit	9-20
Discrete decoupling capacitors for UPP	9-21
Discrete capacitors for memory without VFlash 1	9-21
Empty wing sheet	9-21

Title: Top level schematic




Schematics

Title: Top sheet (2)







Title: DCT4 Common Baseband Schematic (Top level 2)









Title: 5 pin Production Test Pattern



Title: RF top sheet schematic




Title: Mjoelner



na = not assembled


Title: Power amplifier



na = not assembled


Title: BB RF interface components







RH-4


Title: DCT4 common BB Schematic (top level)



Title: RH-4 System connector









RH-4

Title: GSM RF BB interface



Schematics RH-4

Title: RH-4 Audio



Schematics

Title: MultiGND symbol bypass



GND 1

_GND AGND2

Title: GENIO and GPIO connection block

GENIO(31:0)

G_APE(15:0)

GPIO(31:0)

G_AUDIO(11:0)

G_CAMERA(7:0)

G_CDMA(11:0)

G_FMRADIO(11:0)

G_GPS(7:0)

G_IR(3:0)

G_KEY_UI(43:0)

G_LPRF(15:0)

G_MEMORY(3:0)

G_MMC(7:0)

G_POWER(11:0)


G_RF_BB(31:0)

G_SIM(7:0)


G_SYS_CONN(11:0)

0_0.


Title: Rohm IR module 1.8V



GPIO(31:0)




Title: Testpoints based Ostrich interface




Title: Test and emulator interface








Title: SIM reader



Title: Testpoints for JTAG emulator



Title: DC/DC convertor

VCORE_LIN → VCOR

JTAG_EMULATION(6:0)

GENIO(31:0)


G_POWER(11:0)

UEMRSTX 🗅


SMPSCLK 🗅

VREF 🗅


Title: RH-4 User interface




Title: Discrete power management



Title: Light filtering




Title: Old power discrete users





RH-4

Title: UPP 8M implementation




Title: Combo memory 128 +8 Mbit






G_MEMORY(3:0)

Title: Discrete decoupling capacitors for UPP




∨CORE_LIN



Title: Discrete capacitors for memory without VFlash 1



VFLASH1



Title: Empty wing sheet

